

Mi-Clean 14

Mi-Clean 14 is a heavy-duty, alkaline soak cleaner for most metals except aluminum and zinc. It is a free-flowing alkali salt mixture, which is readily soluble in water. The latest ideas in cleaning and the newest developments in basic chemicals have been incorporated into Mi-Clean 14.

In cases where heavier duty cleaning action is required, the solution can be used at boiling. When the Mi-Clean 14 solution is at a boil, there is not only the advantage of higher temperatures, but a mechanical scrubbing action because of the boiling agitation of the solution.

The concentration of the cleaning solution is kept at the required concentration or strength by periodic additions of Mi-Clean 14. Normally, these additions will keep the solution in good operating efficiency until the Mi-Clean 14 solution becomes excessively contaminated and at this point the cleaning solution must be drained off and a new one made up.

Physical Data

Appearance and odor	Free flowing powder
---------------------	---------------------

Operating Conditions

Immersion (Rack of Darrel)	
Concentration	4 – 8 oz/Gal
Temperature	150° F – 200° F
Time	As needed
Equipment	Mild steel tanks and heating coils
Ventilation	Suggested

Consumption of the cleaner is affected by reaction with soils, neutralization of fatty acids, and drag out of the cleaner solution. Additions to maintain desired concentration are recommended.









Titration Method

- 1. Pipette a 10 mL sample into a 250 mL Erlenmeyer flask and add 100 mL of water.
- 2. Add 5 to10 drops Phenolphthalein indicator.
- 3. Titrate with 0.5 N Hydrochloric Acid until the solution turns from pink to colorless.
- 4. Record mL used.

Calculation

Factor (oz/Gal) 0.66 Factor (gm/l) 5.00 Concentration = mL 0.5 N HCl x Factor

Test Kit Method

- 1. Fill test bottle 1/3 full of water. Add ½ mL of Mi-Clean 14 bath solution.
- 2. Add 4 to 8 drops Phenolphthalein indicator.
- 3. Add 0.72 N Hydrochloric Acid solution dropwise while mixing until the solution turns from

pink to a colorless endpoint. Record number of drops.

4. Record the number of drops used.

Calculation

Factor (oz/gallon) 0.61 Factor (gm/l) 4.80 Concentration = # Drops 0.72 N HCl x Factor

Waste Disposal

Discharge rinse waters and spent solutions to a permitted disposal system. In order to be completely informed on the latest regulations for your area, please contact the local authorities.

Caution

Mi-Clean 14 is an alkaline product and should be handled accordingly. Avoid skin and eye contact. Wear protective clothing, goggles and gloves. Flush exposed areas immediately with clean cold water. Contact a doctor promptly in case of injury. Consult SDS for details.



Treating

the Hard to Trea



Better chemistry. Better business.

Product Bulletin Product Name: Mi-Clean 14 Product Code: 2002012 Revision Date: May 20, 2020

Hubbard-Hall Inc. • 563 South Leonard Street, Waterbury, CT 07608 • HubbardHall.com • 800-648-3412

WARRANTY: THE QUALITY OF THIS PRODUCT IS GUARANTEED ON SHIPMENT FROM OUR PLANT. IF THE USE RECOMMENDATIONS ARE FOLLOWED, DESIRED RESULTS WILL BE OBTAINED. SINCE THE USE OF OUR PRODUCTS IS BEYOND OUR CONTROL, NO GUARANTEE EXPRESSED OR IMPLIED IS MADE AS TO THE EFFECTS OF SUCH USE, OR THE RESULTS TO BE OBTAINED.

Our people. Your problem solvers.

For more information on this process please call us at 1-800-648-3412 or techservice@hubbardhall.com









